



INDEX 目录

MAIN LINE	主线	6
BRANCH LINE	支线	8
HOOK	鱼钩	16
SNAP & SWIVEL	自动挂扣附环	28
CRIMP / SLEEVE	管套	38
WORKING TOOL	工作工具	39
LIGHT	钓鱼灯	42
RADIO & GPS BUOY	电浮标	44
FLOAT & BUOY	浮球	45
IMITATION BAIT	假饵	48
ACCESSORY	其他渔具	50
LP SPOOL & RUBBER	美式投扬绳机&橡胶	52
WORKING WEAR	工作服	54
SQUID FISHING	鱿鱼钓鱼	56
TRIMMER LINE	草坪用线	60
FIBER ROPE	纤绳缆	61
PLASTIC MONO	塑料单线	64


TYPICAL LONGLINE SETUP

● SURFACE LONGLINE SETUP FOR TUNA

为了钓金枪鱼的延绳钓办法

● SURFACE LONGLINE


为了钓剑鱼的延绳钓办法



SWORD FISH

● DEEP-SEA FROZEN LONGLINE SETUP

深海冷冻延绳钓办法







LOGLINE FISHING LINE

延绳钓鱼线的目录

MAIN LINE	主线	6-7
BRANCH LINE	支线	8-9
PACKING INFORMATION	多款包装	10
TEST GRADE TABLE	测试等级表	11
POLYESTER BRAIDED	编织股绳	12
TETRON CORD	包铅支股线	12
NYLON CORD	包铅支绳	12
NYLON DOUBLE BRAIDED	尼龙双股线	12
WIRE LEADER	钢丝绳	13
COMBINATION CHART	组合式的表	14

MAIN LINE 主线

LONGLINE MAIN LINE 延绳钓主线

This technologically advanced mono provides constant thickness, reliable line strength, exceptional knot strength, abrasion resistance and best elongation.

- SPOOL packing :
25Lb, 50Lb, 3NM, 5M, 5NM,
10,000m, 10NM, 20NM, 30NM
- Color :
N.White, Pink, Burgundy, Red,
L/Blue and Green
- Measurements :
1Nautical mile : 1,852M
1Land mile : 1,609M



INTERNATIONAL SPEC. 国际规格

SIZE	KG TEST	LB TEST
2.00mm	250kg	550Lb
2.30mm	310kg	685Lb
2.50mm	355kg	780Lb
2.80mm	430kg	950Lb
3.00mm	470kg	1030Lb
3.20mm	510kg	1120Lb
3.40mm	550kg	1200Lb
3.50mm	570kg	1250Lb
3.60mm	600kg	1300Lb
3.70mm	625kg	1400Lb
3.80mm	650kg	1430Lb
3.90mm	675kg	1485Lb
4.00mm	700kg	1540Lb

DOMESTIC SPEC. 国内规格

SIZE	DIA	KG TEST	LB TEST
# 120	1.81mm	215kg	475Lb
# 150	2.02mm	250kg	550Lb
# 180	2.22mm	285kg	630Lb
# 200	2.34mm	310kg	685Lb
# 230	2.51mm	355kg	780Lb
# 250	2.61mm	380kg	840Lb
# 280	2.77mm	400kg	880Lb
# 300	2.86mm	430kg	950Lb
# 330	3.00mm	470kg	1030Lb
# 450	3.50mm	570kg	1250Lb
# 500	3.70mm	625kg	1400Lb
# 525	3.80mm	650kg	1430Lb
# 600	4.00mm	700kg	1540Lb



INTERNATIONAL SPEC. 国际规格

SIZE	KG TEST	LB TEST
2.00mm	200kg	440Lb
2.30mm	240kg	530Lb
2.50mm	275kg	600Lb
2.80mm	360kg	800Lb
3.00mm	410kg	900Lb
3.20mm	420kg	930Lb
3.40mm	480kg	1050Lb
3.50mm	500kg	1100Lb
3.60mm	520kg	1150Lb
3.70mm	535kg	1180Lb
3.80mm	545kg	1200Lb
3.90mm	570kg	1250Lb
4.00mm	590kg	1300Lb
4.50mm	725kg	1600Lb
5.00mm	820kg	1800Lb
6.00mm	910kg	2000Lb


DOMESTIC SPEC. 国内规格

SIZE	DIA	KG TEST	LB TEST
# 120	1.81mm	165kg	360Lb
# 150	2.02mm	200kg	440Lb
# 180	2.22mm	230kg	500Lb
# 200	2.34mm	240kg	530Lb
# 230	2.51mm	275kg	600Lb
# 250	2.61mm	300kg	660Lb
# 280	2.77mm	330kg	725Lb
# 300	2.86mm	360kg	800Lb
# 330	3.00mm	410kg	900Lb
# 450	3.50mm	500kg	1100Lb
# 500	3.70mm	535kg	1180Lb
# 525	3.80mm	545kg	1200Lb
# 600	4.00mm	590kg	1300Lb

NYLON MONO BRAIDED 尼龙单股线

Mainly used in deep sea frozen longline fishing main line. It provides high transparency, high breaking strength and elastic performance. and it is highly resistant to damages from tooth fish.

1×8 BRAIDED 1x8股



SIZE	DIAMETER	PACKING	KG TEST
# 40 (1.04mm×8)	4.8mm	1000mtr	420kg
# 50 (1.17mm×8)	5.0mm	900mtr	530kg
# 60 (1.28mm×8)	5.2mm	800mtr	640kg

2×6 BRAIDED 2x6股



SIZE	DIAMETER	PACKING	KG TEST
# 30 (0.91mm×2×6)	4.8mm	800mtr	480kg
# 40 (1.04mm×2×6)	5.1mm	700mtr	640kg
# 50 (1.17mm×2×6)	5.5mm	500mtr	800kg

BLACK TARRED MAIN LINE 聚酯主绳



KEVLAR MINE LINE

SIZE	PACKING	KG TEST
4.5mm	500mtr	550kg
4.8mm	500mtr	700kg
5.0mm	500mtr	720kg



POLYESTER MAIN LINE

SIZE	PACKING	KG TEST
6.0mm	200 /400mtr	450kg
7.0mm	200 /400mtr	880kg
7.2mm	200 /400mtr	910kg

BRANCH LINE 支线

NYLON MONOFILAMENT 尼龙单线

HARD type / SOFT type 硬型/软型



MARINMAX has an incredibly high breaking strength, is very pliable and flexible with low memory. It is useful for commercial fisheries to target high value pelagic fish and for sports fisheries to target trophy fish.



INTERNATIONAL SPEC.

国际规格

SIZE	KG TEST	LB TEST
0.80mm	43kg	95Lb
0.90mm	53kg	120Lb
1.00mm	65kg	140Lb
1.10mm	78kg	175Lb
1.20mm	95kg	210Lb
1.30mm	112kg	250Lb
1.40mm	130kg	285Lb
1.50mm	145kg	320Lb
1.60mm	165kg	365Lb
1.70mm	190kg	420Lb
1.80mm	215kg	470Lb
1.90mm	230kg	510Lb
2.00mm	250kg	550Lb
2.10mm	265kg	585Lb
2.20mm	285kg	630Lb
2.50mm	355kg	780Lb
2.80mm	430kg	950Lb
3.00 mm	470kg	1030Lb

DOMESTIC SPEC.

国内规格

SIZE	DIA	KG TEST	LB TEST
# 24	0.80mm	43kg	95Lb
# 30	0.91mm	53kg	120Lb
# 40	1.05mm	65kg	140Lb
# 50	1.17mm	95kg	210Lb
# 60	1.28mm	112kg	250Lb
# 80	1.48mm	145kg	320Lb
# 100	1.65mm	165kg	365Lb
# 110	1.73mm	190kg	420Lb
# 120	1.81mm	215kg	475Lb
# 130	1.88mm	230kg	510Lb
# 150	2.02mm	250kg	550Lb
# 180	2.22mm	285kg	630Lb
# 200	2.34mm	310kg	685Lb
# 230	2.51mm	355kg	780Lb
# 250	2.61mm	380kg	840Lb
# 280	2.77mm	400kg	880Lb
# 300	2.86mm	430kg	950Lb
# 330	3.00mm	470kg	1030Lb

- Packing in COIL or SPOOL : 50M, 100M, 500M, 1,000M, 10,000M
5Lb, 25Lb and 50Lb
- Color : Clear, Fluorescent, Light Blue, Smoke Blue, Blood Red, Pink, Black

Siltlon

SILTLOON is designed for multi purpose line commonly used, and widely accepted as mainline and branch line for longline fishing. It provides exceptionally pliable, strong and abrasion resistance.



INTERNATIONAL SPEC.

国际规格

SIZE	KG TEST	LB TEST
0.80mm	36kg	75Lb
0.90mm	45kg	100Lb
1.00mm	56kg	125Lb
1.10mm	68kg	150Lb
1.20mm	80kg	175Lb
1.30mm	95kg	210Lb
1.40mm	110kg	240Lb
1.50mm	125kg	275Lb
1.60mm	130kg	285Lb
1.70mm	145kg	320Lb
1.80mm	165kg	360Lb
1.90mm	180kg	400Lb
2.00mm	200kg	440Lb
2.10mm	215kg	470Lb
2.20mm	230kg	500Lb
2.50mm	275kg	600Lb
2.80mm	360kg	800Lb
3.00mm	410kg	900Lb

DOMESTIC SPEC.

国内规格

SIZE	DIA	KG TEST	LB TEST
# 24	0.80mm	36kg	75Lb
# 30	0.91mm	45kg	100Lb
# 40	1.05mm	56kg	125Lb
# 50	1.17mm	80kg	175Lb
# 60	1.28mm	95kg	210Lb
# 80	1.48mm	125kg	275Lb
# 100	1.65mm	130kg	285Lb
# 110	1.73mm	145kg	320Lb
# 120	1.81mm	165kg	360Lb
# 130	1.88mm	180kg	400Lb
# 150	2.02mm	200kg	440Lb
# 180	2.22mm	230kg	500Lb
# 200	2.34mm	240kg	530Lb
# 230	2.51mm	275kg	600Lb
# 250	2.61mm	300kg	660Lb
# 280	2.77mm	330kg	725Lb
# 300	2.86mm	360kg	800Lb
# 330	3.00mm	410kg	900Lb

- Packing in COIL or SPOOL : 50M, 100M, 500M, 1,000M, 10,000M 5Lb, 25Lb and 50Lb
- Color : Clear, Fluorescent, Light Blue, Smoke Blue, Blood Red, Pink, Black

TORNADO

TORNADO has been not only developed especially for economical commercial fishing, but also widely used for multi purpose.



INTERNATIONAL SPEC. ONLY

只有国际规格

SIZE	KG TEST	LB TEST
0.40mm	8.4kg	15Lb
0.50mm	10.5kg	23Lb
0.60mm	15kg	32Lb
0.70mm	20kg	44Lb
0.80mm	26kg	57Lb
0.90mm	33kg	73Lb
1.00mm	40kg	90Lb
1.10mm	46kg	100Lb
1.20mm	50kg	110Lb

SIZE	KG TEST	LB TEST
1.30mm	60kg	130Lb
1.40mm	69kg	150Lb
1.50mm	78kg	170Lb
1.60mm	89kg	200Lb
1.80mm	113kg	250Lb
2.00mm	132kg	290Lb
2.20mm	150kg	330Lb
2.50mm	185kg	400Lb
3.00mm	240kg	530Lb

- Packing in COIL or SPOOL : 50M, 100M, 500M, 1,000M, 10,000M 5Lb, 25Lb and 50Lb
- Color : Clear, Fluorescent, Light Blue, Smoke Blue, Blood Red, Pink, Black

VARIOUS PACKINGS 多款包装

WOODEN SPOOL 木盘

Wooden spool for 25Lb, 50Lb, 10kg - Max 700kg.



INTERCONNECTED SPOOL 互联线盘

100m × 10 connected spools packing in innerbox
0.3mm - 1.0mm.



BULK PACKAGE SPOOL 散装包装线盘



COIL/HANK 圈



100M COIL 100米圈



CUTTING BUNDLE 米线

Various sizes & lengths available
Max.15mtr by automatic machine.



100m × 10 COIL 100米圈

0.30mm - 3.0mm. 100m x 10 multi-connected coil.
squid jigging & multi purpose fishing.



TEST GRADE TABLE 测试等级表

SIZE	MARINMAX		SILTLOX		TORNADO	
	KG TEST	LB TEST	KG TEST	LB TEST	KG TEST	LB TEST
0.30mm	6.7kg	15Lb	5.9kg	13Lb	3.8kg	8Lb
0.35mm	8.4kg	18Lb	7.7kg	17Lb	5.0kg	11Lb
0.40mm	11.8kg	25Lb	10.0kg	23Lb	6.7kg	15Lb
0.45mm	14.4kg	30Lb	12.4kg	28Lb	8.4kg	18Lb
0.50mm	17.5kg	40Lb	15.0kg	32Lb	10.5kg	23Lb
0.60mm	25.0kg	55Lb	21.0kg	45Lb	15.0kg	32Lb
0.70mm	33.0kg	75Lb	28.0kg	64Lb	20.0kg	44Lb
0.80mm	43.0kg	95Lb	36.0kg	80Lb	26.0kg	57Lb
0.90mm	53.0kg	120Lb	45.0kg	100Lb	33.0kg	73Lb
1.00mm	65.0kg	140Lb	56.0kg	125Lb	40.0kg	90Lb
1.10mm	78.0kg	170Lb	68.0kg	150Lb	45.0kg	100Lb
1.20mm	95.0kg	210Lb	80.0kg	175Lb	50.0kg	110Lb
1.30mm	112.0kg	250Lb	95.0kg	210Lb	60.0kg	130Lb
1.40mm	130.0kg	285Lb	110.0kg	240Lb	68.0kg	150Lb
1.50mm	145.0kg	320Lb	125.0kg	275Lb	78.0kg	170Lb
1.60mm	165.0kg	360Lb	130.0kg	285Lb	89.0kg	195Lb
1.70mm	190.0kg	420Lb	145.0kg	320Lb	100.0kg	220Lb
1.80mm	215.0kg	470Lb	165.0kg	360Lb	112.0kg	250Lb
1.90mm	230.0kg	510Lb	180.0kg	400Lb	124.0kg	270Lb
2.00mm	250.0kg	550Lb	200.0kg	440Lb	132.0kg	290Lb
2.10mm	265.0kg	585Lb	215.0kg	470Lb	140.0kg	300Lb
2.20mm	285.0kg	630Lb	230.0kg	500Lb	150.0kg	330Lb
2.30mm	310.0kg	685Lb	240.0kg	530Lb	165.0kg	360Lb
2.40mm	335.0kg	740Lb	260.0kg	570Lb	178.0kg	390Lb
2.50mm	355.0kg	780Lb	275.0kg	600Lb	180.0kg	400Lb
2.60mm	380.0kg	840Lb	300.0kg	660Lb	195.0kg	430Lb
2.70mm	400.0kg	880Lb	330.0kg	725Lb	210.0kg	460Lb
2.80mm	430.0kg	950Lb	360.0kg	800Lb	220.0kg	480Lb
3.00mm	470.0kg	1030Lb	410.0kg	900Lb	240.0kg	530Lb

COLOR

	Clear(N.White)
	Red
	Light Blue
	Dark Blue
	Smoke Blue
	Grey(Ice Blue)
	Light Green
	Dark Green
	Pink
	Black
	F. Yellow
	Multi Color (Rainbow)

• Any color is available upon customer's request

BRAND	QUALITY GRADE	APPLICATION
	EXTRA HIGH	Main line & Branch Line for Tuna Longline Fishing High Breaking Strength
	PREMIUM	Main line & Branch Line for Longline Fishing & Multi Purpose
	ECONOMIC	Suitable for Easy & Simple Casting for Multi Purpose

TETRON CORD for fastest sinking to the target point. 包铅支股线

SIZE	DIA	LENGTH	KG TEST
#8(2×8)	3.0mm	500mtr	200kg
#10(2×8)	3.3mm	500mtr	220kg
#12(2×8)	3.5mm	500mtr	240kg
#14(2×8)	4.0mm	300mtr	290kg
#16(2×8)	4.5mm	300mtr	320kg



GLOBAL CORD Polyester multi-braid with lead core 聚酯股和铅支线

SIZE	PACKING	WEIGHT
5.50mm	400mtr	22.8kg
7.00mm	200mtr	16.0kg
7.50mm	200mtr	18.0kg



POLYESTER BRANCH LINE 编织股绳


SIZE	LENGTH	WEIGHT	KG TEST
3.5mm	300mtr	3.3kg	210kg
3.8mm	300mtr	3.8kg	230kg
4.0mm	300mtr	4.1kg	250kg
4.2mm	300mtr	4.3kg	280kg
4.5mm	300mtr	4.7kg	310kg
4.8mm	300mtr	5.2kg	330kg
5.5mm	300mtr	5.5kg	390kg
6.0 mm	300mtr	5.8kg	450kg



• Color : White, Green, Yellow and Red

NYLON CORD with Lead core 包铅支绳

SIZE	LENGTH	WEIGHT	KG TEST
2.0mm	400mtr	3.6kg	160kg
2.3mm	400mtr	4.0kg	180kg
2.5mm	400mtr	3.5kg	200kg
2.7mm	400mtr	4.0kg	240kg
3.0mm	400mtr	5.0kg	300kg
3.3mm	300mtr	4.3kg	350kg
3.5mm	300mtr	4.8kg	400kg
4.0mm	200mtr	7.6kg	450kg
4.5mm	100mtr	4.6kg	600kg




• Color : White, Green, Orange, Yellow, Blue and Red

NYLON DOUBLE BRAIDED 尼龙双股线

SIZE	# 10	# 16	# 18	# 20	# 24	# 30	# 40	# 50	# 60	# 80	# 100	# 120	# 150
DIA	0.6mm	0.82mm	0.85mm	0.9mm	1.05mm	1.3mm	1.5mm	1.6mm	1.8mm	2.1mm	2.25mm	2.45mm	2.6mm
KG TEST	13kg	16kg	21kg	22kg	25kg	33kg	52kg	65kg	75kg	97kg	105kg	115kg	140kg

• Color : Black, Dark Brown, White, Yellow, Blue and Red

WIRE LEADER 钢丝绳



- Materials : AISI 304, AISI 316
- Coating materials : Nylon 6 and Nylon 66
- Color : Semi Black, Black, Brown, Green, Clear, Red, Gun smoke

1×7

UNCOATED			COATED
SIZE	DIA	KG TEST	DIA
# 47	0.15mm	2.8kg	0.25mm
# 46	0.18mm	4.1kg	0.30mm
# 45	0.21mm	5.5kg	0.32mm
# 44	0.24mm	7.2kg	0.35mm
# 43	0.27mm	9.2kg	0.39mm
# 42	0.30mm	11.3kg	0.45mm
# 41	0.33mm	13.7kg	0.50mm
# 40	0.36mm	16.3kg	0.55mm
# 39	0.39mm	19.1kg	0.62mm
# 38	0.45mm	25.4kg	0.65mm
# 37	0.51mm	31.9kg	0.71mm
# 36	0.57mm	39.8kg	0.80mm
# 35	0.60mm	43.0kg	0.85mm
# 34	0.69mm	56.9kg	0.88mm
# 33	0.75mm	67.2kg	0.90mm
# 32	0.81mm	78.4kg	1.00mm
# 31	0.87mm	90.4kg	1.02mm
# 30	0.90mm	94.3kg	1.05mm

7×7

UNCOATED			COATED
SIZE	DIA	KG TEST	DIA
# 50	0.27mm	6kg	0.41mm
# 48	0.36mm	10kg	0.51mm
# 47	0.45mm	16kg	0.61mm
# 46	0.54mm	24kg	0.71mm
# 45	0.63mm	33kg	0.80mm
# 44	0.70mm	43kg	0.90mm
# 43	0.80mm	54kg	1.00mm
# 42	0.90mm	66kg	1.10mm
# 41	1.00mm	80kg	1.20mm
# 40	1.08mm	96kg	1.35mm
# 39	1.20mm	115kg	1.45mm
# 38	1.35mm	148kg	1.65mm
# 37	1.50mm	190kg	1.80mm
# 35	1.80mm	260kg	2.10mm
# 34	2.00mm	330kg	2.40mm
# 33	2.25mm	400kg	2.70mm
# 32	2.50mm	480kg	3.00mm

7×19

UNCOATED		COATED
DIA	KG TEST	DIA
1.05mm	85kg	1.25mm
1.20mm	110kg	1.40mm
1.50mm	220kg	1.80mm
2.00mm	350kg	2.50mm
2.50mm	570kg	3.20mm
3.00mm	800kg	4.00mm

1×19

UNCOATED		COATED
DIA	KG TEST	DIA
0.30mm	10.0kg	0.45mm
0.35mm	13.8kg	0.50mm
0.40mm	18.0kg	0.60mm
0.50mm	28.0kg	0.70mm
0.60mm	40.0kg	0.80mm
0.75mm	63.0kg	1.00mm
0.85mm	81.0kg	1.10mm
1.00mm	110.0kg	1.20mm

COMBINATION CHART 组合式的表

	SIZE	DIA	AL CRIMP SINGLE	ARMOR SPRING	VINYL TUBE	CRIMPER DIES
NYLON MONO 尼龙单线	# 80	1.47mm	F	1.6mm	1.6mm	W
	# 100	1.65mm	F	1.8mm	1.8mm	F
	# 110	1.73mm	E	1.8mm	1.8mm	E
	# 120	1.81mm	E	2.0mm	2.0mm	E
	# 130	1.88mm	E	2.3mm	2.0mm	D
	# 150	2.02mm	D	2.3mm	2.2mm	D
	# 160	2.09mm	D	2.3mm	2.5mm	D
	# 180	2.21mm	C	2.6mm	2.5mm	C
	# 200	2.34mm	C	2.6mm	2.5mm	C
	# 220	2.45mm	BC	2.6mm	2.8mm	B
	# 250	2.60mm	BC	2.8mm	3.0mm	B
	# 280	2.76mm	B	3.0mm	3.0mm	B
	# 300	2.86mm	B	3.0mm	3.2mm	A
	# 330	3.00mm	A	3.2mm	3.2mm	A
	# 350	3.09mm	A	3.5mm	3.5mm	M
	# 380	3.22mm	M	3.5mm	3.5mm	M
	# 400	3.30mm	M	3.5mm	3.5mm	M
	# 450	3.50mm	M	3.8mm	3.8mm	M
	# 600	4.00mm	L	4.3mm	4.3mm	L
BRANCH LINE (ROPE) 支线(绳)	# 3.5	3.80mm	M	-	-	M
	# 4.0	4.20mm	L	-	-	L
	# 4.2	4.50mm	L	-	-	L
	# 4.5	4.48mm	LL	-	-	LL
	# 4.8	5.00mm	LL	-	-	LL
	# 5.0	5.20mm	LL	-	-	LL
	# 5.5	6.30mm	LL	-	-	LL
NYLON CORD 包铅支绳	# 2.3	2.30mm	C	2.6mm	2.6mm	C
	# 2.5	2.50mm	BC	2.6mm	2.6mm	B
	# 2.7	2.70mm	B	2.8mm	2.8mm	B
	# 3.0	3.00mm	A	3.2mm	3.2mm	A
	# 3.3	3.30mm	M	3.5mm	3.5mm	M
	# 3.5	3.50mm	M	3.8mm	3.8mm	M
	# 3.8	3.80mm	L	4.0mm	4.0mm	L
	# 4.0	4.00mm	L	4.3mm	4.3mm	L
	# 4.5	4.50mm	LL	4.8mm	4.8mm	LL
TETLON CORD 包铅支股线	# 8	3.0mm	A	3.4mm	-	M
	# 10	3.3mm	M	3.6mm	-	M



LONGLINE FISHING TACKLE

延绳钓渔具的目录

HOOK	鱼钩	16 - 27
SNAP & SWIVEL	自动挂扣附环	28 - 37
CRIMP / SLEEVE	管套	38
WORKING TOOL	工作工具	39 - 41
SEA LIGHT / LIGHT STICK	标识灯/发光棒	42 - 43
RADIO BUOY & GPS BUOY	无线电浮标	44
E.V.A FLOAT	E.V.A 浮球	45
FLOAT & BUOY	浮球	46 - 47
IMITATION BAIT	鱿鱼假饵	48 - 49
ACCESSORY	其他渔具	50 - 51
LP SPOOL & RUBBER	美式投扬绳机 & 橡胶	52 - 53
WORKING WEAR	工作服	54



HOOK 鱼钩

• Actual size

TUNA HOOK WITH RING 金枪鱼钩附环扣

Kabuto



MATERIAL	SUS 420J2
SIZE	2.6, 2.8, 3.0, 3.2, 3.4, 3.6, 3.8, 4.0, 4.2
PACKING	100pcs / Inner box



TUNA HOOK WITH RING 金枪鱼钩附环扣

Terasima


MATERIAL	SUS 420J2
SIZE	2.6, 2.8, 3.0, 3.2, 3.4, 3.6, 3.8, 4.0, 4.2
PACKING	100pcs / Inner box



CIRCLE HOOK 鷹嘴钩

Standard
标准

MATERIAL	SUS 420J2
SIZE	12/0, 13/0, 14/0, 15/0, 16/0, 17/0
PACKING	100pcs / Inner box




Circle hook with ring



CIRCLE HOOK 鹰嘴钩


OF-type
(forged)
锻制的

MATERIAL	SUS 420J2
SIZE	12, 13, 14, 15, 16
PACKING	100pcs / Inner box



Circle hook with crane swivel
鹰嘴钩附+日式转环

MATERIAL	SUS 420J2
SIZE	12/0, 13/0, 14/0
PACKING	100pcs / Inner box




CIRCLE HOOK 鷹嘴钩

Normal ring
(#39960)

Large ring
(#39965)



MATERIAL	SUS 420J2
SIZE	10/0, 11/0, 12/0, 13/0, 14/0, 15/0, 16/0
PACKING	100pcs / Inner box



Normal ring
(#39960)

Large ring
(#39965)

MATERIAL	Hi-carbon steel
SIZE	8/0, 9/0, 10/0, 11/0, 12/0, 13/0, 14/0, 15/0, 16/0
PACKING	100pcs / Inner box



CIRCLE HOOK 鹰嘴钩

HD-type 厚型

MATERIAL	SUS 420J2
SIZE	14/0, 15/0, 16/0, 17/0, 18/0
PACKING	100pcs / Inner box



Long shank type 长杆型

MATERIAL	SUS 420J2
SIZE	14/0, 15/0, 16/0, 17/0
PACKING	100pcs / Inner box



S/S MERO HOOK

MATERIAL	Hi-carbon steel
----------	-----------------

Tooth fish hook


不锈钢小鳞犬牙南极鱼专用钩



J - HOOK

MATERIAL	SUS 420J2
SIZE	9/0
PACKING	100pcs / Inner box


J钩



EZ BAIT HOOK

MATERIAL	Hi-carbon steel
SIZE	10/0, 11/0, 12/0, 13/0, 14/0, 15/0
PACKING	100pcs / Inner box

EZ鱼饵钩




SWORD FISH HOOK 剑鱼钩

Knife edged point & forged


刀刃型 & 锻制的

MATERIAL	SUS 420J2
SIZE	5/0, 6/0, 7/0, 8/0, 9/0, 10/0, 11/0, 12/0
PACKING	100pcs / Inner box



GIANT HOOK 鲨鱼钩


MATERIAL	SUS 420J2
SIZE	10/0, 11/0, 12/0
PACKING	40pcs / Inner box



BIG GAME HOOK 形钩

Open type
(7732S)
开放型


MATERIAL	SUS 600 for premium / SUS 420J2 for standard
SIZE	6/0, 7/0, 8/0, 9/0, 10/0, 11/0, 12/0
PACKING	100pcs / Inner box



BIG GAME HOOK 形钩

Closed type
(7691S)
关型


MATERIAL	SUS 600 for premium / SUS 420J2 for standard
SIZE	6/0, 7/0, 8/0, 9/0, 10/0, 11/0, 12/0
PACKING	100pcs / Inner box



KIRBY SEA HOOK 小鹰嘴钩

(2330D)



MATERIAL	Hi-carbon steel
SIZE	2/0, 1/0, 1 - 20
KNIFE EDGED	3 - 13
GRINDING POINT	2/0, 1/0, 1 - 20
PACKING	100pcs / Inner box



ROUND BENT HOOK 圆弯钩

(2335D)

MATERIAL	Hi-carbon steel
SIZE	2/0, 1/0, 1 - 20
PACKING	100pcs / Inner box



SNAP & SWIVEL


自动挂扣附环

• Actual size

L-TYPE SNAP L型挂扣



A-TYPE SNAP A型挂扣



LEADED SWIVEL 铅双转环



BL SWIVEL 单转环

Sus press ring 不锈钢的

SIZE	KG TEST	WEIGHT
L(15mm)	450kg	17.0gr
M(12mm)	400kg	15.0gr
SM(10mm)	400kg	14.0gr
S(8mm)	170kg	9.0gr
SS(8mm)	160kg	8.0gr
4S(6mm)	150kg	7.0gr



BOX SWIVEL 箱型双转环

SIZE	KG TEST	WEIGHT
8	500kg	38.0gr
9	430kg	26.5gr
10	390kg	22.0gr
12	295kg	14.5gr




8-TYPE SWIVEL 双转环

Sus press ring 不锈钢的


SIZE	KG TEST	WEIGHT
S	600kg	11.0gr
2S	550kg	9.0gr
3S	480kg	8.0gr
4S	340kg	5.5gr
5S	340Kg	5.0gr




CRANE SWIVEL 日式转环




CRANE SWIVEL (Squared body) 日式转环 (方形)




BARREL SWIVEL 樽型转环





ROLLING SWIVEL (Plain body + Round eye) 美式转环



CRANE COMBINATION SWIVEL 日式转环(组合型)



BRAN SWIVEL (Pipe swivel) 日式转环(管子型)



HEAVY DUTY SWIVEL 柱式转环

SIZE	KG TEST	WEIGHT
12.0mm	1,500kg	17.0gr
10.5mm	1,050kg	12.5gr
9.0mm	950kg	8.5gr
8.0mm	750kg	6.5gr
7.0mm	500kg	4.0gr
6.0mm	290kg	3.0gr



12.0



10.5



9.0



8.0



7.0



6.0



+ Corkscrew snap

BALL BEARING SWIVEL 轴承转环

BALL BEARING	COASTLOCK SNAP
10	8
9	8
8	8
7	7
6	6
5	5
4	4
3	3
2	2

• Option : Split Ring or Solid Ring



10



9



8



7



6



5



4



3




2



+ Coastlock snap


SAFTY SNAP

A型别针




INTERLOCK SNAP

B型别针




HOOK SNAP

强力别针




DUO-LOCK SNAP

增强别针




CROSSLOCK SNAP

双扣别针



COASTLOCK SNAP

弧型别针



BARREL SWIVEL+ SAFETY SNAP

樽型转环+A型别针



- Size
- 5/0x6
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x5
- 2x4
- 3x4
- 4x4
- 5x3
- 6x3
- 7x3
- 8x2
- 10x2
- 12x1
- 14x1
- 16x0

BARREL SWIVEL+ INTERLOCK SNAP

樽型转环+B型别针



- Size
- 5/0x6
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x5
- 2x4
- 3x4
- 4x4
- 5x3
- 6x3
- 7x3
- 8x2
- 10x2
- 12x1
- 14x1
- 16x1

ROLLING SWIVEL+ HOOK SNAP

美式转环+钩形别针



- Size
- 6/0x6
- 5/0x6
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x4
- 2x4
- 3x3
- 4x2
- 5x2
- 6x1
- 7x1
- 8x0

ROLLING SWIVEL+ COASTLOCK SNAP


美式转环+弧型别针



- Size
- 6/0x7
- 5/0x7
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x4
- 2x4
- 3x3
- 4x2
- 5x2
- 6x1
- 7x1
- 8x0

CRANE SWIVEL+ INTERLOCK SNAP

日式转环+B型别针



- Size
- 5/0x6
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x4
- 2x4
- 3x3
- 4x2
- 5x2
- 6x1
- 8x1

CRANE SWIVEL+ HOOK SNAP

日式转环+强力别针



- Size
- 6/0x6
- 5/0x6
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x4
- 2x4
- 3x3
- 4x2
- 5x2
- 6x1
- 7x1
- 8x0

CRANE SWIVEL+ DUO-LOCK SNAP

日式转环+增强别针



- Size
- 6/0x6
- 5/0x6
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x4
- 2x4
- 3x3
- 4x2
- 5x2
- 6x1
- 7x1
- 8x0

CRANE SWIVEL+ CROSSLCK SNAP

日式转环+双扣别针



- Size
- 5/0x6
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x4
- 2x4
- 3x3
- 4x2
- 5x2
- 6x1
- 7x1
- 8x0

CRANE SWIVEL+ COASTLOCK SNAP

日式转环+弧型别针



- Size
- 6/0x7
- 5/0x7
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x4
- 2x4
- 3x3
- 4x2
- 5x2
- 6x1
- 7x1
- 8x0

CRANE SWIVEL+ SAFETY SNAP

日式转环+A型别针



- Size
- 6/0x6
- 5/0x6
- 4/0x6
- 3/0x6
- 2/0x5
- 1/0x5
- 1x5
- 2x4
- 3x4
- 4x4
- 5x3
- 6x3
- 7x3
- 8x2

CRIMP/ SLEEVE 管套

• Actual size

ALUMINUM CRIMPS 铝套

Single
单管



Double
双管



SINGLE	SIZE	INNER DIA(ID)	THICKNESS(T)	LENGTH(L)
 (Unit :mm)	LL	5.2	1.4	20
	L	4.2	1.3	18
	M	3.8	1.3	18
	A	3.3	1.2	18
	AB	3.2	1.15	18
	B	3.1	1.1	18
	BC	2.8	1.1	18
	C	2.6	1.0	18
	DC	2.4	1.0	18
	D	2.3	1.0	18
	E	2.0	1.0	18
	EF	1.75	1.0	18
	F	1.7	1.0	18
	G	1.5	0.9	18
	W	1.2	0.9	18

DOUBLE	SIZE	INNER DIA(ID)	THICKNESS(T)	LENGTH(L)
 (Unit :mm)	LL	5.2	1.4	20
	1	4.5	1.4	20
	2	4.2	1.3	20
	3	3.5	1.3	18 or 20
	4	3.3	1.2	18
	5	2.8	1.0	18
	6	2.3	1.0	18
	7	2.0	1.0	18

MINI SINGLE	SIZE	INNER DIA(ID)	THICKNESS(T)	LENGTH(L)
 (Unit :mm)	LL	1.5	0.8	7
	L	1.3	0.8	7
	LM	1.2	0.8	7
	M	1.0	0.8	7
	S	0.8	0.8	7
	SS	0.7	0.8	7

• More Sizes Available Upon Request.

COPPER CRIMPS 铜套

Single
单管



Double
双管



SINGLE	SIZE	INNER DIA(ID)	THICKNESS(T)	LENGTH(L)
 (Unit :mm)	A	3.5	1.3	14
	B	3.1	1.2	14
	BC	2.8	1.1	14
	C	2.6	1.0	11
	D	2.3	1.0	11
	E	2.0	1.0	11
	F	1.7	0.8	10
	G	1.5	0.8	10
	H	1.3	0.8	10
	I	1.2	0.8	7
	J	1.0	0.4	7
	K	0.8	0.3	7

DOUBLE	SIZE	INNER DIA(ID)	THICKNESS(T)	LENGTH(L)
 (Unit :mm)	1	4.8	2.0	16
	2	4.2	2.0	14.5
	3	3.3	1.2	14
	4	2.8	1.2	14
	mini 5	2.6	0.6	14
	mini 6	2.3	0.6	14
	mini 7	2.2	0.6	14
	mini 8	1.9	0.6	14
	mini 9	1.6	0.5	9.5
	mini 10	1.3	0.5	7
	mini 11	1.0	0.5	7
	mini 12	0.8	0.3	5
	mini 13	0.6	0.3	5

• More Sizes Available Upon Request.


WORKING TOOL 工作工具

CRIMPER / CUTTER 线夹钳

HS-1000 HEAVY DUTY BENCH CRIMPER

手压钳

Interchangeable dies style
压嘴模互换型



DIES SIZE	SLEEVE SIZE	DIES SIZE	SLEEVE SIZE
LL	5.2mm	D	2.3mm
A	4.2mm	E	2.0mm
AB	3.8mm	F	1.7mm
B	3.2mm	G	1.5mm
BC	2.8mm	W	1.2mm
C	2.6mm		

- Weight : 8.2kg(24Lbs)
- Height : 27cm(10.7")
- Length : 70cm(27.6")
- Width : 12.5cm(5")



Interchangeable dies sets

HS-2000 HEAVY DUTY BENCH CRIMPER

手压钳

Steel 钢的

5 Holes 5洞型



DIES SIZE	HOLE SIZE	SLEEVE SIZE
3.3	5.8mm	3.3mm
2.8	4.6mm	2.8mm
2.3	3.9mm	2.3mm
2.0	3.3mm	2.0mm
1.8	2.8mm	1.8mm

Precision multi crimping tool

- Weight : 8.2kg(24Lbs)
- Height : 27cm(10.7")
- Length : 70cm(27.6")
- Width : 12.5cm(5")

HS-3000 MULTI HAND PRESSER

不锈钢手压钳

Stainless steel 不锈钢的

5 Holes 5洞型



Precision multi crimping tool

- Weight : 11kg(33Lbs)
- Height : 54cm(21.2")
- Length : 92cm(36.3")
- Width : 22cm(8.6")

HSHC-100 MINI HAND CRIMPER 小手压机

with both side cutters



- 4 Holes
- 0.1mm - 0.5mm
 - 0.5mm - 1.0mm
 - 1.0mm - 2.0mm
 - 2.2mm

HSHC-200 HAND CRIMPER 中手压机



- 5 Holes
- 1/32inch(0.8mm)
 - 1/16inch(1.6mm)
 - 1/8inch(3.2mm)
 - 3/64inch(1.2mm)
 - 3/32inch(2.4mm)

HSWC-300 WIRE CUTTER 钢丝绳剪刀

Stainless steel



HSMC-400 MONO CUTTER 单线剪刀



Stainless steel / Big size mono cutting

HSPP-500 PROTECT PIPE PLIER



HSSS-700 SCISSORS 剪刀

Stainless steel




Full
Stainless steel





TOOLS 工具


TUNA MISSILE 鱼抓头 Stainless steel




LINE PICK-UP TOOL 四齿钩

SUBARU
with RopeHAYASUKE
with Pole

FISH HOOK 鱼抓钩 Stainless steel



GAFF HOOK 金枪鱼抓钩 Stainless steel



GIANT SHEARS 鲨鱼钳子 Stainless steel




HARPOON HEAD 刺头 Stainless steel



HAND HOOK 单齿抓钩



BOX HOOK 箱子抓钩



HAMMER 铁锤

Dia 60, 90, 120mm


Wooden hammer

Rubber
hammer

BAMBOO POLE 竹竿



SPIKE / BRAIN KILLER / ROPE PIERCER 鱼钻 Stainless steel



- ① Rope spike
- ② Braided nylon spike
- ③ T brain spike(small)
- ④ F brain spike(small)
- ⑤ P brain spike(large)
- ⑥ Rope piercer(T type/2holes)
- ⑦ Rope piercer(F type/2holes)

KNIFE (Double edged) 鲨鱼夹



Large
270mm



Medium
240mm



Small
210mm

MAGIRI 水手刀



BLOOD KNIFE 刺血刀



HAND SAW 骨锯



MAIN LINE KNOTTING TOOL

主线打结机
Stainless steel



TEGUSU STEAM STRETCHER

再生尼龙线设备



T-type
handle



Spare coil

WHET STONE 磨刀石



WIRE BRUSH 不锈钢刷子



NYLON BRUSH 尼龙刷子



DECK BRUSH

甲板刷
(wire, plastic)



SHOVEL
铁线

SNAP STRETCHER

再生别针设备

handle



TUNA STUNNER

金枪鱼电器冲击器



Coil



Copper
ring



Remorte
controller

HAND HATCHET 斧头



PLASTIC CASE 塑料盒子

42L, 56L, 83L, 95L, 136L



HOOK BIN (ABS+SUS 316) 钩筐

400L - 5 Wired 800Hooks
200L - 4 Wired 500Hooks



LIGHT 灯

SEA LIGHT 标识灯



MODEL	DYX 1	CH 200-1	CH 2000B	DYX 285	CH 101	CH 201	CH 1 SOLAR
SIZE	133×51mm	128×52	129×48	260×56	204×53	280×53	153×48
VISIBILITY	4km	4km	4km	6km	4km	4km	2km
POWER	1D 1.5V	1D 1.5V	4AA 6V	2D 3V	1D 1.5V	2D 3V	Solar Power
BATTERY LIFE	150hours	200hours	200hours	240hours	200hours	200hours	2Years
FLASH RATE	1.5sec	1.5sec	1.5sec	2.5sec	1.5sec	1.5sec	0.5/3.5sec On & Off
WATERPROOF	80mtr	50mtr	50mtr	100mtr	50mtr	50mtr	50mtr
WEIGHT	100gr	250gr	110gr	280gr	220gr	250gr	183gr
ACTIVATED	Auto	Auto	On/Off switch	Auto	Auto	Auto	Auto



MODEL	CH1000B	CH158	CH200-1 LED	CH615	CH904 SOLAR	CH130S SOLAR	CH905 SOLAR
VISIBILITY	4km	4km	4km	5km	2km	2km	4km
POWER	4AA 6V	1D 1.5V	1D 1.5V	1D 1.5V	Solar Power	Solar Power	Solar Power
BATTERY LIFE	20hours	20days	25days	20days	2years	2years	3years
FLASH RATE	1.5sec	2sec	1sec	3sec	3sec	3sec	3sec
WATERPROOF	50mtr	50mtr	50mtr	50mtr	10mtr	10mtr	10mtr
WEIGHT	146gr	166gr	85gr	120gr	240gr	800gr	2000gr
ACTIVATED	Switch	Auto	Auto	Auto	Switch On → Auto	Switch On → Auto	Auto
COLOR	W, G, B, Y, R	T	T	T	R, Y	R, G	R, Y, W, B, G
SIZE(MM)	180×48	209×52	128×52	146×41	71x71x135	125x125x180	177x177x185

FISHING LIGHT 钓鱼灯



• DYP 200 (Manual)

MODEL	DYP 200	DYP 400	DYP 400S
TYPE	Flash On	Flash On	Flash On
OPERATION	Manual On/Off	Manual On/Off	Manual On/Off
SIZE	120×43mm	115×30mm	63×15.5mm
WEIGHT	150gr (With Battery)	70gr (With Battery)	8.33gr (With Battery)
MATERIAL	Polycarbonate	Polycarbonate & ABS	Polycarbonate & ABS
LAMP	2 LED Lamp	1 LED Lamp	1 LED Lamp
LAMP COLOR	Green, Blue, Red, White, Amber & Disco	Green, Blue, Red, White	Green, Blue, Red, White
POWER	3V (AA size × 2ea)	1.5V (AA size × 1ea)	4.5V (LR size × 3ea)
BATTERY LIFE	720hours	80hours	8hours
WATERPROOF	Max 700mtr	Max 250mtr	Max 30mtr




BLUE LIGHT 水下集鱼蓝灯



MODEL	BLUE LIGHT
TYPE	Flash On
OPERATION	Salt Water Activated
SIZE	80 X 20mm
MATERIAL	UV+ABS BODY & RESIN
WEIGHT	34gr
LAMP	2 LED Lamp
LAMP COLOR	Blue,Green, Red,White
POWER	4.5V
FLASH RATE	1.5 Sec.
BATTERY LIFE	2,100 hours

CHEMICAL LIGHT STICK 发光棒



• Designed for commercial fishing use.

MODEL	4 INCHES	6 INCHES
SIZE	10×110mm	10×150mm
COLOR / INFO	Green, Pink, Blue, White	Green, Pink, Blue, White
DURATION TIME	24HOURS	24HOURS
Q'TY / INBOX	100pcs/BAG	100pcs/BAG
Q'TY / CARTON	2,000PCS/CARTON	1,200PCS/CARTON

RADIO BUOY & GPS BUOY GPS浮漂

PR-30 RADIO BUOY

The RADIO BUOY is developed to improve fishing efficiency and also prevent fishing gear from washing away or being taken away.

PRSC-30SEL CALL RADIO BUOY

The SEL-CALL is composed of a RADIO BUOY with a receiver installed in it. It only answer when called from its own signal. Due to this reason, battery life is approx. 10times longer than a Radio buoy. It is used with a signal generator.

RADIO BUOY BATTERIES

Dry-cell battery

- Ryokusei(Japan) 24V
- Taiyo(Japan) 24V
- Sea Sstar(Taiwan) 18V/24V
- New star(Taiwan) 18V/24V



Radio buoy batterie



Antenna

AIS FISHING NET TRACKING BUOY


MODEL	HAB-80 / HAB-120 / HAB-120S(SOS BUTTON)	HAB-150 / HAB-150S (SOS BUTTON)
POSITION UPDATE	Every 3 minutes	Every 3 minutes
WORKING FREQUENCY	161.975MHz / 162.025MHz	161.975MHz / 162.025MHz
OUTPUT POWER	34.8dBm±1.5dBm	34.8dBm±1.5dBm
CHANNEL BANDWIDTH	25KHz	25KHz
MODULATION MODE	GMSK	GMSK
BIT RATE	9600b/s±50ppm(GMSK)	9600b/s±50ppm(GMSK)
DIMENSION	330mm x 90mm	1260mm x 90mm
WEIGHT	0.5kgs	0.5kgs
BATTERY	8.4V, 4000mAh	12.6V, 4000mAh
WORKING TIME	More than 240 hours	More than 240 hours
ANTENNA	Built-in VHF/GPS antenna	External 1.1m VHF antenna
GPS MODULE	IEC61108-1 standard	IEC61108-1 standard
WORKING ENVIRONMENT	-20°C - 55°C	-20°C - 55°C
WATERPROOFING	IP x 7	IP x 7
EQUIPMENT LIST	Tracking buoy unit Battery recharger	Tracking buoy unit 1.1m VHF antenna Battery recharger



HAB-80 / HAB-120
HAB-120S

HAB-150
HAB-150S

E.V.A FLOAT EVA浮漂



ARTICLE NUMBER	LxODxHD (mm)	WEIGHT (gr)	BUOYANCY (gr)
SHE-100	285x260x50	1,514	10,000
SHE-85	265x248x48	1,314	8,500
SHE-70	250x220x42	1,000	7,000
SHE-60	240x215x42	874	6,000
SHE-50	225x202x40	786	5,000
SHE-40	208x185x37	585	3,800
SHE-30	190x158x33	447	2,980
SHE-25	180x147x28	350	2,400
SHE-20	178x135x28	265	1,680
SHE-20N	178x135x28	265	1,700
SHE-15	160x125x28	235	1,500
SHE-10	170x110x20	180	950
SHE-6	146x94x20	93	616
SHE-3	101x78x20	46	300
S-20	155x155x80	245	1,600
SS-5	155x110x25	170	1,100
SS-3	103x110x25	140	920
SHBB-2	356x178x25	900	5,700
SHBB-1	356x153x25	600	5,000
N-35	243x63x42	103	380
N-22	195x62x39	56	270
N-5	195x45x34	45	180
PE-20	140x62x20	59	350
SEW-20	100x65x16	78	158
SHY-17	106x65x13	65	200
SEW-17	94x63x16	70	135
YE-3	60x35x9	12	55
SH-25E	50x105x18	48	310
SH-20E	48x90x18	33	200
SH-15E	45x80x16	25	150
SH-10E	40x70x12	20	130
SE-5	98x63x10	30	230



ARTICLE NUMBER	ODxID (MM)	WIDTH (MM)	WEIGHT (KG)
SHRF-100	440x198	66	1.50
SHRF-200	510x260	130	2.14

ARTICLE NUMBER	LxOD (mm)	HOLE DIA (mm)	ROPE DIA (mm)
SHF-100	420x95	42	16
SHF-200	540x125	50	19
SHF-300	660x165	70	24
SHF-400	720x250	120	30
SHF-500	550x310	85	48

E.V.A FENDER ASSEMBLY

ARTICLE NUMBER	HEIGHT (mm)	WEIGHT (kg)
EFA-25x4	720	5.60
EFA-25x5	900	7.00
EFA-30x4	760	7.15
EFA-30x5	950	8.94
EFA-40x4	832	9.36
EFA-40x5	1,040	11.7

FLOAT & BUOY

浮漂

PLASTIC HARD FLOAT 塑料硬浮漂



HF 240 A



HF 300 A



HF 330 A



HF 360 A



HF 360 C



HF 240 B



HF 300 B



HF 330 B



HF 360 B



HF 390 B

ITEM	DIAMETER	WORKING DEPTH	WEIGHT	BUOYANCY
HF 240A, B	240mm	300mtr	1.2kg	6.0kg
HF 300A, B	300mm	300mtr	2.2kg	11.9kg
HF 330A, B	330mm	300mtr	3.2kg	15.7kg
HF 360A, B	360mm	300mtr	3.9kg	20.3kg
HF 360C	360mm	300mtr	3.9kg	20.3kg
HF 390A, B	390mm	300mtr	4.5kg	26.0kg
TOP BOUY (POLE+DISH)	-	-	0.3kg	-



Stainless steel Spring connector



TOP BUOY

BOTTOM TRAWL FLOAT

海底硬浮漂



SIZE(mm)	120, 150, 180, 210, 240, 270, 300, 360
WORKING DEPTH(mtr)	300, 500, 700, 800, 1100, 1200, 1500, 2000

- The working depths are different depending on Dia

MIDWATER TRAWL FLOAT

海中硬浮漂



SIZE(mm)	200, 240, 270, 360
WORKING DEPTH(mtr)	600, 800, 1100

- The working depths are different depending on Dia

AIR INFLATABLE BUOY 空气浮漂


A SERIES A型



ITEM	DIA × LENGTH	EYE DIA	BUOYANCY
A0	210×280mm	22mm	5.7 / 3.4kg
A1	295×380mm	22mm	13.0 / 7.8kg
A2	390×500mm	25mm	32.0 / 19.2kg
A3	460×575mm	28mm	52.0 / 31.2kg
A4	550×710mm	28mm	90.0 / 54.0kg
A5	710×940mm	28mm	215.0 / 129.0kg
A6	850×1120mm	35mm	405.0 / 243.0kg
A7	1100×1420mm	60mm	670.0 / 402.0kg

• Gross buoyancy / Recommended maximum load.

LD SERIES LD型



ITEM	DIA × LENGTH	EYE DIA	BUOYANCY
LD1	230 / 470mm	22mm	12.0 / 7.5kg
LD2	300 / 620mm	22mm	30.5 / 18.5kg
LD3	350 / 745mm	25mm	51.0 / 30.5kg
LD4	400 / 950mm	28mm	80.0 / 48.0kg

• Gross buoyancy / Recommended maximum load.

CC SERIES CC型



ITEM	DIA × LENGTH	EYE DIA	BUOYANCY
CC2	385 / 430mm	48mm	29.0 / 17.5kg
CC3	450 / 500mm	48mm	55.0 / 33.0kg
CC4	540 / 590mm	48mm	100.0 / 66.0kg

• Gross buoyancy / Recommended maximum load

F SERIES F型



ITEM	DIA × LENGTH	EYE DIA	VOLUME
F3	220 / 745mm	28mm	22.0 l
F5	290 / 775mm	28mm	35.0 l

IMITATION BAIT 假饵


• Actual size

SQUID 鱿鱼

- Available in any size on request
- Color : Luminous, Pink, Brown and any colors on request

Aurora coated squid bait


极光涂成鱿鱼假饵



OCTOPUS SKIRTS 望潮假餌

ONE COLOR	3, 7, 8, 9, 10, 13, 14, 15, 17, 18, 20, 28, 30, 31, 38, 53
TWO or LUMO COLOR	1, 2, 6, 11, 12, 19, 23, 24, 25, 26, 27, 29, 32, 33, 34, 36, 40, 57, 59, 62, 63
DIA or STRIPE COLOR	4, 5, 16, 21, 22, 35, 37, 39, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 55, 56, 58, 60, 61, 64

• Size : Any size from 1"(25mm) to 15"(380mm)



ACCESSORY 其他的钓鱼用品


REFLECTION TAPE 反射式胶带

- Size : 40mm× 50yds,
50mm× 50yds,
70mm× 50yds



BRAIDED POLYESTER TUBE

编制套管



SIZE	1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4, 2.6, 2.8, 3.0, 3.2, 3.5mm
LENGTH	90mm

PINK LINE

粉色线




TUBE 胶管

MATERIALS	PVC, Urethane
COLOR	Clear, Luminous, Green, Pink, Blue and etc
SIZE	1.5, 1.7, 1.9, 2.1, 2.3, 2.8, 3.0, 3.4, 3.6, 4.0
LENGTH	100mtr, 200mtr, 400mtr



LIGHT SLEEVE

夜光套



Clear

Luminous

AIMATA / THIMBLE (Course)

夜光珠(心型) / U型防蚀片



Luminous Plastic Thimble

Aimata

Stainless Steel Thimble

BEAD 玉



Oval shape

LENGTH	WIDTH
5mm	8mm
6mm	10mm
7mm	11mm
10mm	18mm

Sphere shape (normal type)


OD(out dia)	ID(inner dia)
6mm	1.6mm
8mm	1.6mm
10mm	2.5mm
12mm	3.5mm
14mm	4mm

Sphere shape (gummy type)

OD(out dia)	ID(inner dia)
5mm	2.2mm
8mm	3.2mm
13mm	6mm

LEAD SINKERS 铅坠

• Unit : mome (1 mome = 3.75gr)



VARIOUS SIZE of IRON SINKERS

多种尺寸铁坠



LP SPOOL & RUBBER

美式投扬绳机 & 橡胶

MONO CAPACITY TO LP SPOOL

LP-TWIN 40x80 - G3

- Super Spool III (for vessels over 90ft.)
- "New Stronger, Larger Capacity 40" "Diameter Reels"
- Monofilament Capacity "5,000 lbs."



LP-48x80 - G3

- Super Spool III (for vessels over 60 ft.)
- "New Stronger, Larger Capacity 48" "Diameter Reel"
- Monofilament Capacity "3,200 lbs."




LP-28x36 - G3

- Super Mini Spool



LP LS 3/4 Timer 2

- Hook and Buoy Timer/Counter



LONGLINE SPOOL CAPACITIES

• 1 Nautical Mile = 6,072 feet (1,852 meters)

SPOOL SIZE	MONO CAPACITY	MONO DIA					APPROX EMPTY
		3.0mm	3.2mm	3.5mm	3.6mm	4.0mm	
TWIN 40x80	5000Lb	156Nm	138Nm	116Nm	108Nm	89Nm	3500Lb
48X80-G3	3200Lb	100Nm	89Nm	74Nm	70Nm	57Nm	2100Lb
40X80-G3	2500Lb	78Nm	69Nm	58Nm	54Nm	44Nm	1750Lb
40x60-G3	1900Lb	59Nm	52Nm	44Nm	41Nm	33Nm	1450Lb
40x48-G3	1500Lb	46Nm	41Nm	34Nm	32Nm	26Nm	1350Lb
40x35-G3	1100Lb	34Nm	30Nm	25Nm	24Nm	20Nm	1200Lb
28x48-G3	860Lb	27Nm	24Nm	20Nm	19Nm	15Nm	600Lb
28x36-G3	645Lb	20Nm	18Nm	15Nm	14Nm	12Nm	565Lb
28x24-G3	430Lb	14Nm	12Nm	10Nm	10Nm	8Nm	530Lb

RUBBER PRODUCT & BLOCK 橡胶压轮

LINE HAULER RUBBER



Branch ace


LINE THROWER RUBBER




LINE ACE RUBBER



LINE SETTER RUBBER



LINE SPRING RUBBER



LS-5 Line setter

WORKING WEAR 工作服

WINTER WEARS 防寒服

Winter coat, Winter trousers, Winter cap, Under wear, Winter socks, Winter gloves, Winter boots



Winter coat

RAIN WEARS 雨衣

Rain wear, Working gloves, Working boots



Rain coat

Small (L),
Small (XL),
Middle (2XL),
Large (3XL),
Large (4XL)



Toe cap available

HS-2 LIFE JACKET

The HS-2 life jacket is satisfied with as follows;
SOLAS, as amended.
Regulation III /4 and 34.
The LSA code.
Regulation I /1.2 and II /2.2
IMO res. MSC.81(70),
MSC.200(80), MSC.207(81),
MSC.226(82)




Retro reflective tape
50mm×100mm 2ea
50mm×150mm 4ea

Whistle

- Weight : 620(±10%) without jacket light
- Body weight : 43kg or more

HS-7 LIFE TUBE

Retro reflective tape
50mm×100mm 8ea





SQUID FISHING


鱿鱼钓鱼的目录

SQUID JIG	鱿鱼钓钩	56-57
NYLON MONOFILAMENT	尼龙单线	58
STAINLESS STEEL WIRE LEADER	不锈钢钢丝绳	58
TOOL	工具	58

SQUID FISHING 鱿鱼钓鱼

SQUID JIG 鱿鱼钓钩

Pick jig
硬棒机钓钩



Variika jig
休闲鱿鱼钩



**Eight angles
Transparent jig**
八角透明机钓钩



Triple jig
硬棒三层机钓钩



Prawn-type squid jig
打分型虾钩



**Squid jig with hard
& flat body** 硬飘



**Squid jig with soft
& flat body** 软飘



Squid jig with hard body
硬塑鱿鱼钩



Jig Barb
鱿鱼钩针伞

- Available :
8 barbs, 7 barbs



0.7mm



0.9mm




1.0mm



1.17mm



1.3mm



1.4mm



1.6mm



1.8mm

- Actual size

Other squid jig
其他鱿鱼钩



Handline squid jig
手钩鱿鱼钩



Heavy squid jig
重钩



Giant squid jig
大型鱿鱼钩



NYLON MONOFILAMENT

尼龙单线



Cutting bundle



Coil



SIZE	# 20	# 30	# 40	# 50	# 60	# 70	# 80	# 90	# 100	# 110	# 120	# 130	# 150	# 180	# 200
DIA	0.74mm	0.91mm	1.05mm	1.17mm	1.28mm	1.38mm	1.48mm	1.57mm	1.65mm	1.73mm	1.81mm	1.88mm	2.02mm	2.22mm	2.34mm

STAINLESS STEEL WIRE LEADER

不锈钢钢丝绳

- Material Choices : AISI 304, AISI 316
- Coated color choices : Black, Brown, Green and Clear
- Coating material : Nylon 6 and Nylon 66



MINI HAND CRIMPER

小手压机

with both side cutters



- 4 Holes

JAPANESE SCISSORS

日式剪刀



- Steel / Stainless steel

MONO CUTTER

尼龙单线剪刀

Big size mono cutting



- Stainless steel

COPPER CRIMP(DOUBLE)

铜套(双型)



ROLLING SWIVEL

美式转环



VINYL TAPE

绝缘胶布



FRONT ROLLER

导轮

- Size choices : 180mm, 253mm, 303mm, 353mm



PVC NET

PVC鱼网



MODE	WIDTH	LENGTH	MESH	THICKNESS	COLOR
PN-1	1M	50M	19 - 22mm	6.5 - 7	black
PN-2	2M	50M	19 - 22mm	6.5 - 7	black



INDUSTRIAL LINE

产业用线的目录

TRIMMER LINE	草坪用线	60
FIBER ROPES	光纤绳缆	61 - 63
PLASTIC MONOFILAMENT	塑料单线	64 - 65

TRIMMER LINE 草坪用线

SAFE MONO BLADE 安全单线刀

Premium co-polymer trimmer line



Bulk package



Retail package



Packing

- Bulk package : 1,000mtr, 330mtr
- Retail package : 40mtr, 70mtr / 5Lb, 7Lb
- Coil package

TRIMMER LINE

Suitable for most leading
Trimmers and brush cutters

Safe blade


Trimmer line



Square



Round



PROFESSIONAL PERFORMANCE
for residential and commercial use

- long lasting
- impact strength



FIBER ROPE 纤维缆



PP ROPE PP 缆绳

- Available size : 3ST : 5mm (3/16") - 60mm (2-3/8")
4ST : 5mm (3/16") - 24mm (15/16")
8ST : 40mm(1-19/32") - 120mm(4-3/4")
- 2 times strength of Manila rope of same size.
- Positive buoyancy(floats), resistant to acid, alkali and most chemicals
- Constant tensile strength in both dry and wet condition
- UV - treated possible
- Usage : In Mooring, Docking, Anchoring, Sling, Boat life-line, Tarpaulin line



PE ROPE PE 缆绳

- Available size : 3ST : 5mm (3/16") - 80mm (3-5/32")
- Outstanding resistance to both external and internal abrasion
- Constant tensile strength in both Dry and Wet condition
- High ultra-violet stabilization
- Usage : In Netting, Commercial purpose



NYLON ROPE 尼龙缆绳

- Available size : 3ST : 5mm (3/16") - 80mm (3-5/32")
8ST : 40mm(1-19/32") - 120mm(4-3/4")
- High elongation (45%-50%) to other synthetic ropes
- High energy absorption under shock and good abrasion resistance
- Usage : Mooring, towing, slings, commercial fishing, utility rope, leisure boat, seiling



POLYESTER ROPE 聚酯缆绳

- Available size : 3ST : 5mm (3/16") - 80mm (3-5/32")
4ST : 5mm (3/16") - 24mm (15/16")
- A lower elongation(25% - 28%)
- High strength, with excellent resistance to all synthetic and natural fiber ropes.
- Usage : Rigging, Mooring, Towing, Yacht line, Longline.



PP ROPE WITH LEAD CORE 包铅缆绳

- Available size : 3ST : 5mm (3/16") - 40mm (1-9/16")
- Usage : Sling, Dragnetting
- Manufactured and tested according to ISO and BS standards
- Warning : The minimum breaking strength should never be considered as the safe working load of the rope



BRADIED ROPE(POLYESTER) 股缆绳(聚酯)

- Available size : 16ST, SINGLE BRAIDED : 4mm (5/32") - 10mm (13/32")
16ST, DOUBLE BRAIDED : 12mm (15/32") - 80mm (3-5/32")
- Very flexible, excellent strength and wear resistance,
- Free from kinking due to non-rotational construction
- Low elongation to conventional 8 strands, strong shock absorption.

FOR 3-STRAND SYNTHETIC FIBER ROPE 3股合成纤维绳

WT : Weight (kg / 200m)
T/S : Tensile strength (Ton)

SIZE			PP ROPE (P.P Multi, mono & danline)		POLYETHYLENE ROPE		NYLON ROPE		POLYESTER ROPE		VINYLON ROPE KURARON		PP ROPE LEAD CORE	
DIAMETER		CIRC.	WT	T/S	WT	T/S	WT	T/S	WT	T/S	WT	T/S	WT	T/S
mm	inch	inch	kg / 200m	Ton	kg / 200m	Ton	kg / 200m	Ton	kg / 200m	Ton	kg / 200m	Ton	kg / 200m	Ton
5	3/16	5/8	2.30	0.34	2.72	0.27	3.00	0.50	3.86	0.40	3.13	0.23	3.5	0.20
6	1/4	3/4	3.50	0.50	3.75	0.40	4.43	0.75	5.56	0.56	4.50	0.33	5.3	0.28
7	9/32	7/8	4.70	0.67	4.90	0.51	6.00	1.02	7.57	0.77	6.18	0.43	7.5	0.38
8	5/16	1	6.20	0.85	6.40	0.70	7.76	1.35	9.88	1.02	7.96	0.56	9.5	0.47
9	3/8	1-1/8	7.80	1.06	8.30	0.81	9.80	1.72	12.50	1.27	10.00	0.70	12.0	0.59
10	13/32	1-1/4	9.60	1.29	10.30	1.09	12.10	2.08	15.40	1.59	12.40	0.95	15.0	0.72
12	15/32	1-1/2	13.90	1.80	15.20	1.54	17.60	3.00	22.20	2.27	17.80	1.37	21.0	1.01
14	9/16	1-3/4	18.80	2.40	20.40	2.09	23.90	4.10	30.30	3.18	24.20	1.83	28.5	1.34
16	5/8	2	24.20	3.00	26.40	2.80	30.80	5.30	39.50	4.10	31.50	2.34	37.5	1.72
18	23/32	2-1/4	30.80	3.80	33.70	3.50	38.70	6.70	50.00	5.10	39.80	2.92	48.0	2.14
20	13/16	2-1/2	38.00	4.50	41.60	4.30	48.00	8.30	61.80	6.30	49.00	3.55	59.0	2.61
22	7/8	2-3/4	46.00	5.60	50.50	5.10	57.90	10.00	74.70	7.60	59.20	4.24	71.0	3.11
24	15/16	3	54.70	6.50	59.80	6.10	69.50	12.00	88.90	9.10	70.40	4.98	82.5	3.66
26	1-1/32	3-1/4	63.80	7.50	70.70	7.05	81.30	14.00	104.00	10.60	82.50	5.78	99.0	4.24
28	1-1/8	3-1/2	73.60	8.50	78.00	8.00	94.60	15.80	121.00	12.20	95.60	6.64	115.0	4.87
30	1-3/16	3-3/4	85.20	9.90	93.20	9.20	108.00	17.80	139.00	13.90	109.00	7.55	127.5	5.54
32	1-1/4	4	96.70	11.00	107.00	10.40	123.00	20.00	158.00	15.70	124.00	8.51	142.5	6.30
34	1-11/32	4-1/4	110.00	12.40	120.00	11.00	139.00	22.60	178.00	17.50	140.00	9.53	163.0	7.00
36	1-7/16	4-1/2	122.00	13.70	135.00	12.00	155.00	24.90	200.00	19.30	157.00	10.60	172.5	7.80
38	1-1/2	4-3/4	135.00	15.10	150.00	13.40	174.00	27.40	223.00	21.60	175.00	11.70	203.0	8.60
40	1-19/32	5	152.00	16.70	166.00	15.60	191.00	30.00	247.00	23.90	194.00	12.90	225.0	9.70
42	1-21/32	5-1/4	167.00	18.50	183.00	16.00	213.00	33.00	272.00	26.10	213.00	14.10	248.0	10.70
45	1-25/32	5-5/8	191.00	20.70	209.00	18.80	244.00	37.00	313.00	29.80	245.00	16.00	285.0	12.50
48	1-7/8	6	218.00	23.60	232.00	22.40	277.00	42.00	350.00	33.50	279.00	17.90	324.0	13.80
50	2	6-1/4	236.00	25.50	258.00	26.00	302.00	45.50	386.00	36.30	302.00	19.50	352.0	14.70
55	2-5/32	6-7/8	286.00	30.00	314.00	30.20	367.00	54.20	467.00	42.80	355.00	23.30	426.0	17.60
60	2-3/8	7-1/2	340.00	35.50	373.00	34.00	438.00	63.80	556.00	49.80	433.00	27.40	507.0	20.70

- Manufactured and tested according to ISO and BS standards.
- Warning : The minimum breaking strength should never be considered as the safe working load of the rope.

FOR 8-STRAND SYNTHETIC FIBER ROPE 8股合成纤维绳

WT : Weight (kg / 200m)
T/S : Tensile strength (Ton)



SIZE			PP ROPE (P.P Multi, mono & danline)		NYLON ROPE		POLYESTER ROPE	
DIAMETER		CIRC.	WT	T/S	WT	T/S	WT	T/S
mm	inch	inch	kg / 200m	Ton	kg / 200m	Ton	kg / 200m	Ton
40	1-19/32	5	143.0	22.7	191.0	33.0	243.0	32.0
42	1-21/32	5-1/4	160.0	25.0	213.0	36.0	268.0	35.0
45	1-25/32	5-5/8	184.0	28.4	244.0	41.0	308.0	40.0
48	1-7/8	6	205.0	31.8	277.0	46.4	350.0	46.0
50	2	6-1/4	220.0	34.3	302.0	50.0	380.0	49.9
52	2-1/16	6-1/2	244.0	36.2	328.0	54.0	410.0	54.0
55	2-5/32	6-7/8	274.0	40.7	367.0	59.6	459.0	60.4
60	2-3/8	7-1/2	326.0	48.0	438.0	70.0	546.0	73.0
65	2-9/16	8-1/8	370.0	56.0	513.0	82.0	642.0	85.6
68	2-11/16	8-1/2	418.0	61.0	563.0	89.7	703.0	93.2
70	2-3/4	8-3/4	440.0	64.6	596.0	94.0	745.0	98.0
72	2-7/8	9	462.0	68.0	631.0	100.0	786.0	103.0
75	3	9-3/8	508.0	74.2	683.0	106.0	853.0	111.2
80	3-5/32	10	564.0	84.2	777.0	121.0	970.0	127.0
85	3-3/8	10-5/8	655.0	93.0	875.0	134.0	1096.0	143.0
88	3-7/16	11	702.0	99.7	954.0	145.0	1174.0	152.0
90	3-9/16	11-1/4	734.0	105.0	980.0	151.0	1228.0	158.0
95	3-3/4	11-7/8	817.0	117.0	1090.0	165.0	1370.0	176.0
96	3-13/16	12	834.0	119.0	1110.0	168.0	1398.0	179.0
100	4	12-1/2	905.0	129.0	1200.0	182.0	1516.0	196.0

POLYESTER BRAIDED ROPE 聚酯股缆绳

WT : Weight (kg / 200m)
T/S : Tensile strength (Ton)



SIZE		12-STRAND		16-STRAND	
DIAMETER		WT	T/S	WT	T/S
mm	inch	kg/200m	Ton	kg/200m	Ton
4	1/2	2.5	0.24	2.5	0.3
5	5/8	3.9	0.38	3.9	0.4
6	3/4	5.6	0.57	5.6	0.57
7	7/8	7.6	0.66	7.6	0.78
8	1	9.9	0.87	9.9	1.02
9	1-1/8	12.5	0.97	12.5	1.3
10	1-1/4	15.4	1.2	15.4	1.59
12	1-1/2	22.2	1.6	22.2	2.27
14	1-3/4			30.2	3.18
16	2			39.5	4.1
18	2-1/4			50.0	5.1
20	2-1/2			61.7	6.4
22	2-3/4			74.7	7.6

PLASTIC MONOFILAMENT 塑料单线

PA NYLON-6

- Feature : High Strength & Transparency, Remarkable Flexibility
- Applications : Weaving, Filter, Topieori, mono fishing net, fishing line



SIZE	DIA	NYLON (DENIER)
# 0.6	0.13mm	132
# 0.8	0.15mm	176
# 1	0.16mm	220
# 1.5	0.20mm	330
# 2	0.23mm	440
# 3	0.26mm	660
# 4	0.33mm	880
# 5	0.37mm	1100
# 6	0.40mm	1320
# 7	0.44mm	1540
# 8	0.47mm	1760
# 10	0.52mm	2200
# 12	0.57mm	2640
# 14	0.62mm	3080
# 16	0.66mm	3520
# 18	0.69mm	3960
# 20	0.74mm	4400
# 22	0.77mm	4840
# 24	0.80mm	5280
# 26	0.84mm	5720
# 28	0.87mm	6160
# 30	0.90mm	6600
# 40	1.04mm	8800
# 50	1.17mm	11000
# 60	1.23mm	13200
# 70	1.38mm	15400
# 80	1.47mm	17500
# 90	1.56mm	19800
# 100	1.65mm	22000

PA NYLON-66

- Feature : Heat-resistant, Shock-resistant, non-flammable, abrasion-resistant
- Applications : Weaving, Braided shield hose, Sewing thread, Wig, Cutting bundle




PET (Polyethylene terephthalate)

- Feature : Suitable for economic applications, Heat-resistant, chemical-resistant
- Application : Clothing such as zipper line, hat, ribbon



P.P. (Polypropylene)

- Feature : Suitable for economic applications, Heat-resistant, Abrasion-resistant
- Application : air-conditioner filter, Zipper line, Thread, & Rope



P.E. (Polyethylene)

- Polyethylene packing net/mesh for fruit, vegetable & shells

